© Hans Malicky/Austria; download unter www.biologiezentrum.at

TRICHOPTEROLOGICAL LITERATURE

1995

Khrennikov, V.V. 1995
Larvae of caddisflies in the rivers of the Paanayarvsky National Park. Pp. 138-141, 171, in: Systra, Yu.I., Shustov, Yu.A. (eds): The nature and ecosystems of Paanayarvsky National Park. Karel'skii nauchnyi tsentr RAN, Petrozavodsk, 172 pp. [Russian]

1996

Bueno-Soria, Joaquín 1996
Trichoptera, pp. 501-511, in: Llorente Bousquets,Jorge E., Garcia Aldrete,Alfonso N., Gonzales Soriano,Enrique (eds): Biodiversidad, taxonomia y biogeografia de artropodos de Mexico: hacia una sintesis de su conocimiento. – Univ.Nac.Auton.Mexico, Mexico DF, 6600 pp.

1997

Solem, John O., Solem, Thyra, Aagard, Kaare, Hanssen, Oddvar 1997
Colonization and evolution of lakes on the central Norwegian coast following deglaciation and land uplift 9500 to 7800 years B.P. – J.Paleolimnology 18:269-281.

1998

Cartwright, David 1998
Preliminary guide to the identification of late instar larvae of Australian Polycentropodidae, Glossosomatidae, Dipseudopsidae and Psychomyiidae (Insecta: Trichoptera). – Co-operative Res. Centre for Freshw. Ecol. Identification Guide 15:1-28.

Wang, Bei-xin, Sun, Chang-hai, Yang, Lian-Fang, Leng, Ke-Min 1991
Trichoptera, in: Insects of Longwangshan, pp. 151-161. [Chinese]

1999

Angrisano, Elisa B. 1999
Orden Trichoptera: lista preliminar de especies de la Argentina y países limitrofes. Parte I. Suborder Spicipalpia. – Physis Secc.B (Buenos Aires) 57(132-133): 25-37.

Bueno-Soria,Joaquin, Barba-Alvarez,Rafael 1999
Studies in aquatic insects, 17: new species of Metrichia (Trichoptera: Hydroptilidae) from Mexico. – Anales Inst.Biol.Univ.Nac.Auton.Mex., Ser.Zool. 70:29-33.

Harris,Steven C., Holzenthal,Ralph W. 1999
Hydroptilidae (Trichoptera) of Costa Rica: The genus Hydroptila Dalman. – Stud.Neotrop.Fauna & Environm. 34:16-51.

Kahlert,Maria, Baunsgaard,Marianne T. 1999
Nutrient recycling – a strategy of a grazer community to overcome nutrient limitation. – J.NABS 18:363-369. [on Tinodes waeneri]

Moulton,Stephen R., Harris,StevenC., Slusark,Joseph P. 1999
The microcaddisfly genus Ithytrichia Eaton (Trichoptera: Hydroptilidae) in North America. – Proc.Ent.Soc.Wash. 101:233-241.

Muñoz-Quesada, Fernando 1999
El género Leptonema (Trichoptera: Hydropsychidae) en Costa Rica, con la descripción de una nueva especie. – Rev.Biol.Trop. 47:959-1006.

Plague,Gordon R. 1999
Evolution of net-spinning caddisflies: a hypothetical mechanism, for the reproductive isolation of conspecific competitors. – Oikos 87:204-208.

Vuori, Kari-Matti, Muotka, Timo 1999
Benthic communities in humic streams. Pp. 193-207 in: Keskitalo,Jorma, Eloranta,Pertti (eds): Limnology of humic waters. Backhuys, Leiden.

2000

Bagge, Pauli 2000
Composition and relative abundance of feeding groups in the trichopteran fauna of the subarctic River Teno and ist tributaries. – Verh. IVL 27:1580-1586.

Botosaneanu, L. 2000
Sur deux espèces de Limnephilus, dont une nouvelle, des Pyrénées Orientales (Trichoptera). – Ent.Ber. (Amsterdam) 60:143-146.

Csörgits, G. 2000
Composition and long-term changes of the invertebrate macrofauna in two streams of the Pilis Mountains, Hungary.–Op.Zool.Budap.32:27-49.

Cianficconi, F., Salerno, P., Todini, B. 2000
Tricotterofauna del Fiume Nestore (Umbria, PG). – Riv.Idrobiol. 39:263-294.

Gíslason,Gísli Már, Adalsteinsson,Hákon, Ólafsson,Jón S., Hansen,Iris 2000
Invertebrate communities of glacial and alpine rivers in the central highlands of Iceland. – Verh. IVL 27:1602-1606.

Huryn,Alexander D., Harris,Steven C. 2000
High species richness of caddisflies (Trichoptera) from a riparian wetland in Maine. – Northeastern Naturalist 7:189-204.

Johanson, Kjell Arne, Mary, Nathalie 2000
Helicopsyche trispina sp.n. (Trichoptera, Helicopsychidae) from New Caledonia. – Aquat.Insects 23:315-322.

Kukuła, Krzysztof, Szczęsny, Bronisław 2000
4. Ekologiczne uwarunkowania ochrony ekosystemów wodnych Bieszczadów zachodnich. – Monografie Bieszczadkie (Ustrzyki Dolne) 2000(19):79-114. [Ecological characteristics and conservation of aquatic ecosystems in the Western Bieszczady Mountains]

Szczęsny, Bronisław 2000
3. Trichopterofauna Bieszczadów zachodnich (Karpaty Wschodnie). – Monografie Bieszczadkie (Ustrzyki Dolne) 2000(8):189-250. [Trichoptera of the Western Bieszcady Mts, Eastern Carpathians]

Kuranishi,Ryoichi B. 2000
Caddisflies (Insecta: Trichoptera) collected from the Kamtchatka Peninsula and the North Kuril Islands in 1996-1997. – Nat.Hist.Res.(Chiba), Special Issue 7:267-279.

Mey, Wolfram 2000
[Data to the caddisfly fauna of the Uljanowsk oblast. In: The nature of the Uljanowsk region, 9:84-88. Uljanowsk.] (Russian)

Muñoz-Quesada, Fernando 2000
Especies del orden Trichoptera (Insecta) en Colombia. – Biota Colombiana 1(3):267-288.

Myers,Marilyn J., Resh,Vincent H. 2000
Undercut banks: A habitat for more than just trout. – Trans.Amer.Fish.Soc. 129:594-597.

Quinn,John M., Smith,Brian J., Burrell,Gregory P., Parkyn, S. M. 2000
Leaf litter.characteristics affect colonisation by stream invertebrates and growth of Olinga feredayi (Trichoptera: Conoesucidae). – NZ J.Mar.Freshw.Res. 34:273-287.

© Hans Malicky/Austria; download unter www.biologiezentrum.at

Shimada, Takenori, Nozaki, Takao 2000
An acute toxicity test using a limnephilid caddis larva, Nothopsyche ruficollis (Ulmer). – Japan.J.Environ.Toxicol. 3(2):39-46. [Japanese]

Speirs,D.C., Gurney,W.S.C., Hildrew,A.G., Winterbottom,J.H. 2000
Long-term demographic balance in the Broadstone stream insect community. – J.Anim.Ecol. 69:45-58.

Wedmann,Sonja 2000
Die Insekten der oberoligozänen Fossillagerstätte Enspel (Westerwald, Deutschland). Systematik, Biostratinomie und Paläoökologie. – Mainzer Naturwiss.Archiv, Beiheft 23. [Trichoptera: 105-107]

Wellnitz,Todd A., Ward,J.V. 2000
Herbivory and irradiance shape periphytic architecture in a Swiss alpine stream. – Limnol.Oceanogr. 45:64-75.

Wymer,Douglas A., Morse,John C. 2000
Larva, pupa, and adults of Glossosoma nigrior (Trichoptera: Glossosomatidae) withh a review of the Eastern North American species of Glossosoma. – Ent.News 111:149-158.

2001

Alecke,Christian, Spänhoff,Bernd, Kaschek,Norbert 2001
Ökologische Bewertung von Tieflandbächen des Ladberger Mühlenbach-Systems im norddeutschen Tiefland, basierend auf der Standorttypie der Trichopterenbiozönosen. – Limnologica 31:329-338.

Andersen, Trond, Holzenthal, Ralph W. 2001
West African Triaenodes McLachlan (Trichoptera: Leptoceridae). 1.Introduction and subgenus Triaenodella Mosely. – Tijd.Ent. 144:225-246.

Andersen, Trond, Kjærandsen, Jostein 2001
Adult caddisfly diversity along a headwater stream in south-eastern Ghana (Insecta: Trichoptera). – Verh. IVL 27:3613-3618.

Andrikovics, Sándor, Kiss, Ottó, Nosek, János, Oertel, Nándor 2001
Bioindikáció vízi gerinctelenekkel a Dunában. 7. A fénycsapdák alkalmazási lehetősége a gerinctelen makrofauna feltárásában. – Hidrol.Közl. 81:314-315. [Bioindication by macroinvertebrates in the Danube. 7. Possibility of light-trapping for the study of aquatic invertebrates].

Angrisano,E.B., Korob,P.G. 2001
Trichoptera, pp.55-92, in: Fernández,H.R., Domínguez,E.(eds): Guía para la determinación de los artrópodos bentónicos sudamericanos. Univ.Nac.Tucumán.

Aoya, Kokichi, Nozaki, Takao 2001
Life history of Nothopsyche babai Kobayashi (Trichoptera: Limnephilidae) in small spring streams of the Omono-gawa Fan (Akita, Japan). – Jap.J.Limnol. 62:23-39. [Japanese]

Arefina,Tatyana I., Morse,John C. 2001
New species of Ceraclea (Trichoptera: Leptoceridae: Athripsodini) and a first record of Adicella (Trichoptera: Leptoceridae: Triaenodini) from the Far Eastern Russia. – Pan-Pacific Entomologist 77:71-78.

Barnard, P.C. 2001
The caddisflies (Trichoptera) of Buckingham Palace Garden. – In: Plant, C.W. (ed): The Natural History of Buckingham Palace Garden, London. Part 2. - London Naturalist 80 (Suppl.):193-196.

Bertuetti,Elisabetta, Lodovici,Omar, Valle,Marco 2001
I tricotteri del Fiume Po (Insecta, Trichoptera). – Riv.Mus.civ.Sc.Nat."E.Caffi" Bergamo 20:87-97.

Botosaneanu, Lazare, González, Marcos A. 2001
Sur la variabilité de deux espèces ouest-paléarctiques de Tinodes Curtis (Trichoptera: Psychomyiidae). – Beaufortia 51:221-225.

Bueno-Soria, J., Santiago-Fragoso, S., Barba-Alvarez, R. 2001
Studies in aquatich insects, XVIII: New species and new record of caddislfies (Trichoptera) from Mexico. – Ent.News 112:145-158.

Cartwright, David I. 2001
Four new species and a new record of Chimarra Stephens (Trichoptera: Philopotamidae) from Bougainville Island, Papua New Guinea. – Mem. Mus. Victoria 58:223-230.

Cios,Stanislaw 2001
Grayling and the diving caddis adults. – Grayling (Summer 2001):14-17.

Czachorowski, Stanisław 2001
Chruściki – podwodni konstruktorzy (Część 1). – Notatki entomol. (Olsztyn) 2:52-56.

Depisch, Barbara 2001
Die Köcherfliegen- und Steinfliegenfauna des Radlbaches, Oberkärnten (Insecta: Trichoptera, Plecoptera). – Carinthia II 191/111:525-532.

Feld,Christian K., Grünert,Uta, Schönfelder,Jörg, Pusch,Martin 2001
Beitrag zur Kenntnis des Makrozoobenthos der Spree oberhalb von Berlin („Müggelspree"). – Lauterbornia 41:113-128.

González,M.A., Ruiz,A. 2001
Une nouvelle espèce de Trichoptère du Sud de l'Espagne: Allogamus gibraltaricus n.sp. (Trichoptera: Limnephilidae). – Ann.Limnol. 37:219-221.

Graça,M.A.S., Cressa,C., Gessner,M.O., Feio,M.J., Callies,K.A., Barrios,C. 2001
Food quality, feeding preferences, survival and growth of shredders from temperate and tropical streams. – Freshw.Biol. 46:947-957.

Gullefors, Bo 2001
Oxyethira klingstedti (Trichoptera, Hydroptilidae), en för Sverige ny nattslända. – Ent.Tidskr. 122:188.

Haeslop,Uwe 2001
Einige bemerkenswerte Makroevertebraten-Funde aus Gewässern des Großraumes Bremen. – Lauterbornia 41:55-59. [Hagenella clathrata]

Hayashi, Yoshio, Machida, Kazutoshi, Yun, Sun-Ja 2001
Distribution of Cheumatopsyche species and environmental factors in Tamagawa River system. – Jap.J.Limnol. 61:51-59. [Japanese]

Hess, Monika, Heckes, Ullrich 2001
Beitrag zur Wasserinsektenfauna der Bäche und Quellen im Stadtgebiet München (Ephemeroptera, Plecoptera, Heteroptera, Coleoptera, Trichoptera u.a.). – Nachrbl.bayer.Ent. 50:113-127.

Huisman,J., Andersen, T. 2001
The caddisfly Triaenodes pellectus Ulmer (Trichoptera, Leptoceridae: Triaenodini) taken in Sabah, East Malaysia. – Zool.Med.Leiden 75:381-384.

Ivanov,V.D., Grigorenko,V.H., Arefina,T.I. 2001
Trichoptera, pp. 7-72, in: Tsalolikhin,S.J. (ed.), [Key to freshwater invertebrates of Russia and adjacent lands. - Nauka: St.Petersburg, 836pp]. Russian.

Johanson, Kjell Arne 2001
Two new Tinodes from Sabah, Malaysia (Trichoptera, Psychomyiidae). – Tijd.Ent. 144:247-251.

© Hans Malicky/Austria; download unter www.biologiezentrum.at

Johanson,Kjell Arne, Ward,John B. 2001
Four new species and a new genus of Trichoptera (Helicophidae) from New Caledonia. – New Zealand J.Zool. 28:247-255.

Kiss, Ottó, Andrikovics, Sándor, Murányi, Dávid, Lippóczy, Ákos 2001
A Mátra hegységi Csörgõ-patak vízirovar (Trichoptera, Plecoptera, Ephermeroptera) faunája. – Hidrol.Közl. 81:392-393. [The aquatic insect fauna in the Csörgõ stream of the Mátra Mts.(Hungary)].

Kiss, Ottó, Szabó, Tamás 2001
A Bükk hegységi Szalajka-patak vízminõségének állapota. – Hidrol.Közl. 81:394-395.[The water quality of the Szalajka stream, Bükk Mts., North Hungary].

Kumanski, Krassimir 2001
Description of the unknown female of Crunoecia monospina Botosaneanu 1960 (Trichoptera: Lepidostomatidae), with some notes on the other species from genus Crunoecia McLachlan. – Acta zool.bulg. 53:63-66.

Kumanski, Krassimir P. 2001
The caddisflies (Trichoptera) of the Osogovo Mountain, West Bulgaria. – Acta zool.bulg. 53:47-62.

Mey, Wolfram 2001
Australasian distributions in Trichoptera (Insecta) – a frequent pattern or a rare case ? – In: Metcalfe, Ian & al. (eds.): Faunal and floral migrations and evolution in SE Asia – Australasia:255-268. Balkema Publishers, Lisse.

Myers,Marilyn J., Sperling,F.A.H., Resh,V.H. 2001
Dispersal of two species of Trichoptera from desert springs: Conservation implications for isolated vs connected populations. – J.Insect Conservation 5:207-215.

Newell, Robert L., Ruiter, David, Strenge, Dennis 2001
Adult caddisfly (Trichoptera) phenology in two cold-desert endorheic spring-streams in Washington State. – Pan-Pacific Ent. 77:190-195.

Nishimoto,Hiroyuki, Kuhara,Naotoshi 2001
Revision of the caddisfly genus Allomyia Banks of Japan (Trichoptera: Apataniidae), woth descriptions of seven new species. – Entomol.Science 4:157-174.

Nishimoto,Hiroyuki, Nozaki,Takao 2001
Immature stages of Phryganea (Colpomera) japonica McLachlan (Trichoptera: Phryganeidae). – Entomol.Science 4:361-368.

Nógrádi, Sára, Uherkovich, Ákos 2001
Somogy megye tegzeseinek (Trichoptera) jegyzéke. – Natura Somogyiensis (Kaposvár) 1:295-301. [Checklist of the caddisflies of Somogy county, Hungary].

Nógrádi,Sára 2001
Further data to the caddisflies (Trichoptera) of Hungary. – Fol.Hist.Nat.Mus.Matraensis 25:83-90.

Nozaki, Takao 2001
Trichoptera fauna of the countrysife Satoyama. - ??? 36 (11):14-17. [Japanese]

Prather, Aysha Lynn, Morse, John Chapman 2001
Eastern Nearctic Rhyacophila species, with revision of the Rhyacophila invaria group (Trichoptera: Rhyacophilidae). – Trans.Amer.Ent.Soc. 127(1):85-166.

Roos,Peter, Marten,Michael 2001
Das Makrozoobenthos der Alb im Stadtgebiet von Karlsruhe. – Lauterbornia 41:89-103.

Schmera, Dénes 2001
A method for the quantitative evaluation of the endangerment status of Trichoptera assemblages in Hungary. – Lauterbornia 40:101-107.

Smith, Brian J. 2001
The larva of Traillochorema rakiura McFarlane (Trichoptera: Hydrobiosidae), a caddisfly endemic to Stewart Island, New Zealand. – New Zealand Ent. 24:71-74.

Smith, Peter J., Collier, Kevin J. 2001
Allozyme diversity and population genetic structure of the caddisfly Orthopsyche fimbriata and the mayfly Acanthophlebia cruentata in New Zealand streams. – Freshw.Biol. 46:795-805.

Sternberg-Holfeld,Andrea 2001
Die Ephemeroptera-, Plecoptera- und Trichoptera-Emergenz zweier naturnaher Waldquellen in der Kuppenrhön (Hessen). – Lauterbornia 41:1-22.

Tenger, Katalin, Mogyorósi, Attila 2001
A Keleti-Kárpátok Heveder patakjának Trichoptera lárvaegyüttesei. – Hidrol.Közl. 81:487-488. [The communities of the Trichoptera larvae of the stream Heveder in the East Carpathians (Romania)].

Tsalolikhin,S.J. (ed.) 2001
[Key to freshwater invertebrates of Russia and adjacent lands. - Nauka: St.Petersburg, 836pp]. (Trichoptera see Ivanov) Russian.

Uherkovich,Ákos, Nógrádi,Sára 2001
The Trichoptera of the Szigetköz, upper Hungarian Danube Region (Northwest Hungary), I. A compendium of faunistical research. – Fol.Hisdt.Nat.Mus.Matraensis 25:91-110.

Urbanič, Gorazd 2001
Contribution to the knowledge of caddisflies (Trichoptera) of the reservoir Ledavsko jezero, NE Slovenia. – Acta Ent. Sloven. 9:129-134.

Valle, Marco 2001
Contributo alla conoscenza die tricotteri italiani Insecta, Trichoptera). - Riv.Mus.civ.Sc.Nat."E.Caffi" Bergamo 20:59-86.

Vieira-Lanero, Rufino, González, Marcos A., Cobo, Fernando 2001
Descripción de las larvas de Synagapetus lusitanicus Malicky, 1980 y Synagapetus marlierorum Botosaneanu, 1980 (Trichoptera, Glossosomatidae). – Nouv.Revue Ent.N.S. (Paris) 18:15-29.

Vieira-Lanero, Rufino, González, Marcos A., Cobo, Fernando 2001
Descripción de las larvas de dos endemismos ibéricos del género Rhyacophila: R.melpomene Malicky, 1976 y R.laufferi Navás, 1918 (Trichoptera, Rhyacophilidae). – Graellsia 57:29-37.

Vieira-Lanero, Rufino, González, Marcos A., Cobo, Fernando 2001
The larva of Hydropsyche urgorrii González & Malicky, 1980 (Insecta, Trichoptera, Hydropsychiodae). – Spixiana 24:141-146.

Vieira-Lanero, Rufino, González, Marcos A., Cobo, Fernando 2001
Descripción de las larvas de Philopotamus amphilectus McLachlan, 1884 y Philopotamus perversus McLachlan, 1884 (Trichoptera, Philopotamidae). – Boln.Asoc.esp.Ent. 25:95-104.

Wells, A., Huisman, J. 2001
New hydroptilid caddisfly species from southern Sulawesi (Insecta: Trichoptera: Hydroptilidae). – Zool.Med.Leiden 75:207-216.

Wiberg-Larsen,Peter, Bennike,Ole, Jensen,Jorn Bo, Lemke, Wolfram 2001
Trichoptera remains from early Holocene river deposits in the Great Belt, Denmark. —Boreas 30:299-306.

© Hans Malicky/Austria; download unter www.biologiezentrum.at

Wiberg-Larsen, Peter 2001
Udbredelsen af Danmarks eneste helt land-levende vårflue, Enoicyla pusilla Brum. – Flora og Fauna 107:27-34.

Winterbourn,Michael J., Crowe,Anna L.M. 2001
Flight activity of insects along a mountain stream: is directional flight adaptive? – Freshw.Biol. 46:1479-1489.

Wood,P.J., Vann,A.R., Wanless,P.J. 2001
The response of Melampophylax mucoreus (Hagen) (Trichoptera: Limnephilidae) to rapid sedimentation. – Hydrobiologia 455:183-188.

Zsuga, Katalin, Kiss, Ottó 2001
A cianid- és nehézfém szennyezés hatásának vizsgálata a Közép-Tisza vidékén a bioindikátor tegzesekre. – Hidrol.Közl. 81:510-511. [Effects of cyanide and heavy metal pollution on Trichoptera as indicators of water quality in the middle Tisza River region].

2002

Andersen, Trond, Holzenthal, Ralph W. 2002
West African Adicella McLachlan, 1877 (Trichoptera: Leptoceridae). – Proc.10th Int.Symp.Trichoptera, Nova Suppl.Ent.(Keltern) 15:88-95.

Angrisano, Elisa B. 2002
Contribution to the knowledge on Trichoptera of El Palmar National Park (Argentina). Description of the immature stages of Bredinia sp. and Rhyacopsyche yatay (Hydroptilidae). – Proc.10th Int.Symp.Trichoptera, Nova Suppl.Ent.(Keltern) 15:395-406.

Ansorge, Jörg 2002
Revision of the „Trichoptera" described by Geinitz and Handlirsch from the Lower Toarcian of Dobbertin (Germany) based on new material.. – Proc.10th Int.Symp.Trichoptera, Nova Suppl.Ent.(Keltern) 15:55-74.

Arefina, Tatyana I., Vshivkova, Tatyana S., Morse, John C. 2002
New and interesting Hydroptilidae (Insecta: Trichoptera) from the Russian Far East. – Proc.10th Int.Symp.Trichoptera, Nova Suppl.Ent.(Keltern) 15:96-106.

Ashe, Patrick, O'Connor, James P. 2002
A review of the known associations, commensal, phoretic and ectoparasitic, involving the aquatic stages of Chironomidae (Diptera) with Trichoptera. – Proc.10th Int.Symp.Trichoptera, Nova Suppl.Ent.(Keltern) 15:467-480.

Barba-Alvarez, Rafael, Bueno-Soria, Joaquin, Santiago-Fragoso, Silvia 2002
The caddisfly fauna of the Temazcalapa River, Guerrero, Mexico. – Proc.10th Int.Symp.Trichoptera, Nova Suppl.Ent.(Keltern) 15:317-322.

Baszio, Sven, Richter, Gotthard 2002
Ultrastructural characters of adult leg armature in Trichoptera (Insecta) and their potential for use in phylogenetic analysis. – Aquatic Insects 24:1-20.

Bennike,Ole, Wiberg-Larsen,Peter 2002
Seed-like hydroptilid larval cases (Insecta: Trichoptera) from Holocene freshwater deposits. – J.Paleolimnology 27:275-278.

Bergmann, Jan, Löfstedt, Christer, Ivanov, Vladimir D., Francke, Wittko 2002
Electrophysiologically active compounds identified from six species of caddisflies (Trichoptera). – Proc.10th Int.Symp.Trichoptera, Nova Suppl.Ent.(Keltern) 15:37-46.

Berlin, Angela, Thiele, Volker 2002
Trichoptera in assessment and classification of streams in the lowlands of north-eastern Germany. – Proc.10th Int.Symp.Trichoptera, Nova Suppl.Ent.(Keltern) 15:481-490.

Bicchierai, Maria Clara, Gaino, Elda 2002
Ovariole structure and egg envelopes in Odontocerum albicorne (Scopoli) (Trichoptera: Odontoceridae). – Proc.10th Int.Symp.Trichoptera, Nova Suppl.Ent.(Keltern) 15:1-8.

Blahnik, Roger J. 2002
Systematics of Otarrha, a new neotropical subgenus of Chimarra (Trichoptera: Philopotamidae). – Systematic Entomology 27:65-130.

Botosaneanu, Lazare 2002
A classical case of insular radiation: the Hydroptila species of La Réunion. – Proc.10th Int.Symp.Trichoptera, Nova Suppl.Ent.(Keltern) 15:323-330.

Bowles,David, Knight,Charles 2002
Obituary – Dr. Michael L. Mathis. – Braueria 29:6.

Chaibu, Prachuab, Chantaramongkol, Porntip, Malicky, Hans 2002
The caddisflies (Trichoptera) of the river Ping, northern Thailand, with particular reference to domestic pollution (Studies on Trichoptera in Thailand, Nr. 31). – Proc.10th Int.Symp.Trichoptera, Nova Suppl.Ent.(Keltern) 15:331-342.

Chişu, Sabina Cornelia 2002
Contribution to the knowledge of the caddisfly fauna (larvae) of the Cibin River, Cindrel Mountains, South Carpathians, Romania. – Proc.10th Int.Symp.Trichoptera, Nova Suppl.Ent.(Keltern) 15:343-348.

Cianficconi, Fernanda 2002
The third list of Italian Trichoptera (1990-2000). – Proc.10th Int.Symp.Trichoptera, Nova Suppl.Ent.(Keltern) 15:349-358.

Corallini, Carla, Bicchierai, Maria Clara 2002
Intracellular phase of Globulocephalus hydropsyches Baudoin (Sporozoa, Gregarinida) in the midgut of Hydropsyche larvae (Trichoptera: Hydropsychidae). – Proc.10th Int.Symp.Trichoptera, Nova Suppl.Ent.(Keltern) 15:9-16.

Dankova, Natalia V., Shutova, E.V. 2002
Light and floating emergence trapping of Trichoptera in Murmansk Region. – Proc.10th Int.Symp.Trichoptera, Nova Suppl.Ent.(Keltern) 15:491-498.

Dohet, Alain 2002
Are caddisflies an ideal group for the biological assessment of water quality in streams?. – Proc.10th Int.Symp.Trichoptera, Nova Suppl.Ent.(Keltern) 15:507-520.

Dreesmann, Daniel C., Wichard, Wilfried 2002
The basal phylogenetical relationships of Trichoptera – A molecular approach. – Proc.10th Int.Symp.Trichoptera, Nova Suppl.Ent.(Keltern) 15:309-316.

Ehlert,Thomas, Feld,Christian, Lorenz,Armin, Sommerhäuser, M. 2002
Seltene und bemerkenswerte Köcherfliegen in Nordrhein-Westfalen und angrenzenden Regionen. – Lauterbornia 43:5-23.

Eriksson, Åsa I. 2002
Can predation by net-spinning caddis larvae (Trichoptera: Hydropsyche siltalai) cause longitudinal changes in zooplankton species composition in lake-outlet streams? – Arch.Hydrobiol. 153:231-244.

© Hans Malicky/Austria; download unter www.biologiezentrum.at

Fischer, Jochen, Neu, Peter J. 2002
The larva of Hydropsyche botosaneanui Marinković-Gospodnetić 1966 (Trichoptera: Hydropsychidae). – Proc.10th Int.Symp.Trichoptera, Nova Suppl.Ent.(Keltern) 15:415-419.

Fischer,Jochen, Neu,Peter J. 2002
The larva of Hydropsyche botosaneanui Marinković-Gospodnetić 1966 (Trichoptera, Hydropsychidae). – Lauterbornia 43:95-100.

Flint, Oliver S., Jr. 2002
Studies of neotropical caddisflies, LIX: The immature stages of Streptopsyche parander from the Dominican Republic (Trichoptera: Hydropsychidae). – Proc.10th Int.Symp.Trichoptera, Nova Suppl.Ent.(Keltern) 15:407-414.

Graf, Wolfram, Waringer, Johann 2002
The larva of Stactobiella risi (Felber, 1908) (Trichoptera: Hydroptilidae). – Proc.10th Int.Symp.Trichoptera, Nova Suppl.Ent.(Keltern) 15:420-424.

Graf, Wolfram, Hutter, Gerhard 2002
Köcherfliegen (Insecta: Trichoptera) aus Vorarlberg (Österreich), I. – Vorstellung des Projektes „Erforschung der Köcherfliegenfauna Vorarlbergs" und erste Ergebnisse. – Vorarlberger Naturschau 11:223-226.

Grigorenko, Vladislav N. 2002
Some taxonomical notes on the limnephiline caddisflies (Trichoptera: *Limnephilidae, Limnephilinae). – Proc.10th Int.Symp.Trichoptera, Nova* Suppl.Ent.(Keltern) 15:107-119.

Harris, Steven C. 2002
New species of microcaddisflies (Trichoptera: Hydroptilidae) from northern Florida. – Ann.Carnegie Mus. 71:47-57.

Hohmann, Mathias 2002
Erstnachweise von Köcherfliegen (Trichoptera) in Sachsen-Anhalt. – *Lauterbornia* 43:25-31.

Houghton, David C. 2002
Sex pheromones in Pycnopsyche guttifer (Walker) and P.lepida (Hagen) (Trichoptera: Limnephilidae): Evidence for pheromonal dialects. – Proc.10th Int.Symp.Trichoptera, Nova Suppl.Ent.(Keltern) 15:47-54.

Ito, Tomiko, Kagaya, Takashi, Hattori, Toshio, Yamamoto, Eiji 2002
Descriptions of two new species of Zephyropsyche from Japan, with particular reference to immature stages (Trichoptera: Lepidostomatidae). – Proc.10th Int.Symp.Trichoptera, Nova Suppl.Ent.(Keltern) 15:121-132.

Ivanov, Vladimir D., Melnitsky, Stanislaw I. 2002
Structure of pheromone glands in Trichoptera. – Proc.10th Int.Symp.Trichoptera, Nova Suppl.Ent.(Keltern) 15:17-28.

Ivanov, Vladimir D. 2002
Contribution to the Trichoptera phylogeny: new family tree with consideration of Trichoptera-Lepidoptera relations. – Proc.10th *Int.Symp.Trichoptera, Nova Suppl.Ent.(Keltern)* 15:277-292.

Ivanov, Vladimir D. 2002
Protoradema Ivanov, a new generic name for Pseudoradema Ivanov & Menshutkina, 1996. – Braueria 29:35.

Katano, Izumi, Houki, Akiko, Isobe, Yu, Oishi, Tadashi 2002
Comparison between gut contents of Micrasema quadriloba Martynov (Brachycentridae) and algal communities in the habitat. – Proc.10th Int.Symp.Trichoptera, Nova Suppl.Ent.(Keltern) 15:521-528.

Kiss, Ottó, Andrikovics, Sándor, Szabó, Tamás, Mogyorósi, Attila 2002
Functional feeding groups of Trichoptera along streams typical of north Hungary. – Proc.10th Int.Symp.Trichoptera, Nova Suppl.Ent.(Keltern) 15:529-536.

Kiss, Ottó 2002
Trichopteran communities of a rill and a stream in the Bükk Mts. (north Hungary). – Proc.10th Int.Symp.Trichoptera, Nova Suppl.Ent.(Keltern) 15:537-543.

Kiss,Ottó, Vilimi,László, Fehér,István 2002
The water quality state of the Szalajka Stream, Bükk Mts., Hungary. – Braueria 29:31-34.

Kjærandsen, Jostein, Andersen, Trond 2002
A review of Jabitrichia Wells, 1990 (Trichoptera: Hydroptilidae), with the description of a new Afrotropical species. – Proc.10th Int.Symp.Trichoptera, Nova Suppl.Ent.(Keltern) 15:133-144.

Kjer, Karl M., Blahnik, Roger J., Holzenthal, Ralph W. 2002
Phylogeny of caddisflies (Insecta, Trichoptera). – Zoologica Scripta 31:83-91.

Komzák, Patr, Sedlák, Edmund 2002
The life cycle of Sericostoma flavicorne Schneider, 1845 (Trichoptera: Sericostomatidae). – Proc.10th Int.Symp.Trichoptera, Nova Suppl.Ent.(Keltern) 15:425-434.

Krušnik, Ciril, Urbanič, Gorazd 2002
Preliminary list of Slovenian Trichoptera. – Proc.10th Int.Symp.Trichoptera, Nova Suppl.Ent.(Keltern) 15:359-364.

Kučinić, Mladen, Malicky, Hans 2002
Rhyacophila dorsalis plitvicensis, a new subspecies (Trichoptera: Rhyacophilidae) from Croatia. – Proc.10th Int.Symp.Trichoptera, Nova Suppl.Ent.(Keltern) 15:145-147.

Luadee, Pongsak, Chantaramongkol, Porntip 2002
Comparison of Stenopsyche siamensis larval morphology using Scanning Electron Microscopy as a measure of ecotoxicity. – Proc.10th Int.Symp.Trichoptera, Nova Suppl.Ent.(Keltern) 15:435-438.

Majecki, Janusz, Sitkowska, Malgorzata, Szczęsny, Bronislaw 2002
The aquatic and terrestrial shredding and scraping feeding of Potamophylax carpathicus Dziedzielewicz (Trichoptera: Limnephilidae) *larvae. – Proc.10th Int.Symp.Trichoptera, Nova Suppl.Ent.(Keltern)* 15:545-550.

Malicky, Hans 2002
The sub-specific division of Rhyacophila dorsalis Curtis, 1834 and its transitions to R. nubila Zetterstedt, 1840 (Trichoptera: Rhyacophilidae). – Proc.10th Int.Symp.Trichoptera, Nova Suppl.Ent.(Keltern) 15:149-166.

Malicky, H. 2002
Einige Köcherfliegen (Trichoptera) aus Frankreich und Italien. – Entomofauna (Ansfelden) 23(1):1-12.

Malicky,H., Chantaramongkol,P., Saengpradab, N., Chaibu,P., Thani.I., *Changthong,N., Cheunbarn,S., Laudee,P., Prommi,T., Sompong,S.* 2002
Neue asiatische Leptoceridae (Trichoptera). – Braueria 29:15-30.

Mey, Wolfram 2002
Contribution to the knowledge of the caddisfly fauna of the Philippines, IV: Some further new species of Hydropsyche Pictet (Trichoptera: Hydropsychidae). – Proc.10th Int.Symp.Trichoptera, Nova Suppl.Ent.(Keltern) 15:167-172.

© Hans Malicky/Austria; download unter www.biologiezentrum.at

de Moor, Ferdinand 2002
An assessment of the global distribution of Leptocerinae (Trichoptera) and use of larval characters for determining phylogenetic relationships. – Proc.10th Int.Symp.Trichoptera, Nova Suppl.Ent.(Keltern) 15:293-308.

Morse, John C., Yang, Liangfang 2002
Phylogeny, classification, and historical biogeography of world species of Mystacides (Trichoptera: Leptoceridae), with a new species from Sri Lanka.. – Proc.10th Int.Symp.Trichoptera, Nova Suppl.Ent.(Keltern) 15:173-186.

Myers, Marilyn J., Sperling, Felix A.H. 2002
Preliminary evaluation of subgeneric designations within the caddisfly genus Lepidostoma (Rambur) (Trichoptera: Lepidosomatidae) based on mtDNA sequences. – Proc.10th Int.Symp.Trichoptera, Nova Suppl.Ent.(Keltern) 15:187-194.

Neboiss, Arturs 2002
A family problem with placement of Heloccabus buccinatus gen. & sp.n., an Australian caddisfly (Insecta: Trichoptera). – Proc.10th Int.Symp.Trichoptera, Nova Suppl.Ent.(Keltern) 15:195-204.

Neu, Peter J. 2002
Neunachweise von Köcherfliegen-Arten für das Gebiet der Bundesrepublik Deutschalane und der Bundesländer Rheinland-Pfalz und Saarland (Insecta: Trichoptera). – Lauterbornia 43:33-38.

Neu, Peter J. 2002
Die Unterscheidung der Weibchen von Hydropsyche instabilis (Curtis 1834) und H.siltalai Döhler 1963 (Trichoptera, Hydropsychidae). – Lauterbornia 43:81-87.

Neu, Peter J. 2002
Beitrag zur Unterscheidung der Weibchen von Sericostoma personatum (Spence in Kirby & Spence 1826) und S.flavicorne Schneider 1845 (Trichoptera, Sericostomatidae) in Mitteleuropa. – Lauterbornia 43:89-94.

Nishimoto, Hiroyuki, Nakabou, Masaya, Tanida, Kazumi 2002
Identification of Japanese Cheumatopsyche (Trichoptera: Hydropsychidae) by analysis of cuticular hydrocarbons. – Proc.10th Int.Symp.Trichoptera, Nova Suppl.Ent.(Keltern) 15:205-210.

Nishimoto, Hiroyuki 2002
Description of a new species of Manophylax (Trichoptera: Apataniidae) from Japan, with a key and distributional notes for Japanese Manophylax adults and larvae. – Proc.10th Int.Symp.Trichoptera, Nova Suppl.Ent.(Keltern) 15:211-222.

Nógrádi, Sára, Uherkovich, Ákos 2002
Magyarország tegzesei (Trichoptera). – Studia Pannonica (Pécs), (A) Ser.hist.-nat. 11:1-386. [The caddisflies of Hungary]

Nozaki, Takao 2002
Life history of Rivulophilus sakaii Nishimoto et al. (Limnephilidae: Limnephilinae) in a small intermittent brook, central Japan. – Proc.10th Int.Symp.Trichoptera, Nova Suppl.Ent.(Keltern) 15:439-448.

Nozaki, Takao 2002
Revision of the genus Nothopsyche Banks (Trichoptera: Limnephilidae) in Japan. – Ent.Sci. 5:103-124.

Nozaki, Takao, Nakamura, Shingo 2002
Caddisflies (Trichoptera) collected from Hiroshima Prefecture, western Honshu, Japan. – Misc.Rep.Hiwa Mus.Nat.Hist. 41:165-180. [Japanese]

Ohkawa, Ayuko, Ito, Tomiko 2002
Redescription of Scelotrichia ishiharai Utsunomiya (Trichoptera: Hydroptilidae) with special reference to the biology of the immature stages. – Proc.10th Int.Symp.Trichoptera, Nova Suppl.Ent.(Keltern) 15:449-458.

Paprocki, Henrique, Holzenthal, Ralph W. 2002
A review of the Brazilian genus Barypenthus Burmeister (Trichoptera: Odontoceridae). – Proc.10th Int.Symp.Trichoptera, Nova Suppl.Ent.(Keltern) 15:223-230.

Pitsch, Thomas 2002
Zur Effektivität verschiedener Sammelmethoden bei faunistischen Untersuchungen an Köcherfliegen fließender Gewässer (Insecta:Trichoptera). – Lauterbornia 43:131-150.

Potikha, Yelena V. 2002
The Trichoptera of Sikhote-Alin State Biosphere Nature Reserve and adjacent unprotected territories. – Proc.10th Int.Symp.Trichoptera, Nova Suppl.Ent.(Keltern) 15:365-374.

Prather, Aysha Lynn, Holzenthal, Ralph W. 2002
The identity of Silvatares excelsus Navás, 1931 (Trichoptera: Pisuliidae). – Proc.10th Int.Symp.Trichoptera, Nova Suppl.Ent.(Keltern) 15:231-234.

Reisinger, Walter, Bauernfeind, Ernst, Loidl, Erhard 2002
Entomologie für Fliegenfischer. – Ulmer, Stuttgart, 287pp.

Resh, Vincent H., Reynoldson, Trefor B., Rosenberg, David M. 2002
Trichoptera of the Fraser River catchment, British Columbia, Canada, and their applicability to a large-scale water quality monitoring program. – Proc.10th Int.Symp.Trichoptera, Nova Suppl.Ent.(Keltern) 15:551-558.

Resh, Vincent H., Nimmo, Andrew P. 2002
Sources and citation frequencies of Trichoptera literature based on the Bibliographia Trichopterorum, 1961-2000. – Proc.10th Int.Symp.Trichoptera, Nova Suppl.Ent.(Keltern) 15:641-646.

Robert, Berthold 2002
Das „Verzeichnis der Köcherfliegen (Trichoptera) Deutschlands". – Lauterbornia 43:43-45.

Robert, Berthold, Neu, Peter J. 2002
Characters for distinguishing Cyrnus-females (Trichoptera: Polycentropodidae) in northern, eastern and most parts of central Europe. – Proc.10th Int.Symp.Trichoptera, Nova Suppl.Ent.(Keltern) 15:235-238.

Robert,Berthold, Neu,Peter J. 2002
Unterscheidungsmerkmale der Weibchen der Gattung Cyrnus Stephens (Trichoptera: Polycentropodidae) in Deutschland. – Lauterbornia 43:75-79.

Rojas-Ascencio, Alicia, Bueno-Soria, Joaquín, Gaviño-Rojas, Rafael 2002
Trichoptera from Arroyo Colorado, Municipality of Temascaltepec, State of Mexico, Mexico. – Proc.10th Int.Symp.Trichoptera, Nova Suppl.Ent.(Keltern) 15:375-378.

del Rosario, Rosalie B., Resh, Vincent H. 2002
Resonses and other indicator taxa to experimental manure enrichment in streams. – Proc.10th Int.Symp.Trichoptera, Nova Suppl.Ent.(Keltern) 15:499-506.

Schmera, Dénes 2002
Seasonal change of light trap-collected caddisfly (Insecta: Trichoptera) assemblages in the Börzsöny Mountains, northern Hungary. – Proc.10th Int.Symp.Trichoptera, Nova Suppl.Ent.(Keltern) 15:559-564.

© Hans Malicky/Austria; download unter www.biologiezentrum.at

Schmera, Dénes 2002
The caddisfly (Insecta: Trichoptera) fauna of the Börzsöny Mountains (Northern Hungary) with reference to the effect of air temperature on the success of light trapping. – Lauterbornia 43:65-73.

Schrankel,Isabel, Neu,Peter J., Dohet,Alain, Schoos,Fernand 2002
Die Köcherfliegen-Fauna im Großherzogtum Luxemburg. – Lauterbornia 43:47-64.

Schulte,Ulf, Spänhoff,Bernd, Riss,Wolfgang, Kaschek,Norbert, Meyer,Elisabeth I. 2002
Substrate preference of the larvae of Lype spp. (Trichoptera, Psychomyiidae) and Lasiocephala basalis (Trichoptera, Lepidostomatidae). – Proc.10th Int.Symp.Trichoptera, Nova Suppl.Ent.(Keltern) 15:565-570.

Sherk, Truman E., Rau, Greg H. 2002
Emergence of Trichoptera from each depth at Findley Lake in the Cascade Mountains during warm and cold years. – Proc.10th Int.Symp.Trichoptera, Nova Suppl.Ent.(Keltern) 15:571-579.

Sipahiler, Füsun 2002
Hadimina torosensis, new genus and new species of Drusinae from southern Turkey (Trichoptera: Limnephilidae). – Proc.10th Int.Symp.Trichoptera, Nova Suppl.Ent.(Keltern) 15:239-248.

Smith, Brian J. 2002
The larvae of Costachorema McFarlane (Trichoptera: Hydrobiosidae) from New Zealand. – Aquat.Insects 24:21-35.

Snook,Deborah L., Milner,Alexander M. 2002
Biological traits of macroinvertebrates and hydraulic conditions in a glacier-fed catchment (French Pyrénées). – Arch.Hydrobiol. 153:245-271.

Solem, John O., Birks, Hilary H. 2002
Late-glacial and early-Holocene Trichoptera (Insecta) from Kråkenes Lake, western Norway. What Trichoptera fossil remains tell us about climatic changes?. – Proc.10th Int.Symp.Trichoptera, Nova Suppl.Ent.(Keltern) 15:75-80.

Spinelli, Giuliana, Corallini, Carla 2002
Morphology of first pair of legs of Italian Trichopteran larvae: a comparative SEM study. – Proc.10th Int.Symp.Trichoptera, Nova Suppl.Ent.(Keltern) 15:29-36.

Sukatsheva,I.D., Ivanov,V.D. 2002
In memory of Olga Mikhailovna Martynova. – Braueria 29:7-9.

Szczęsny, Bronisław, Majecki, Janusz 2002
Variations in the composition of Trichoptera communities associated with lakes of different trophy in the Wigry National Park (NE-Poland). – Proc.10th Int.Symp.Trichoptera, Nova Suppl.Ent.(Keltern) 15:581-593.

Tanida, Kazumi 2002
Stenopsyche (Trichoptera: Stenopsychidae): ecology and biology of a prominent Asian caddis genus. – Proc.10th Int.Symp.Trichoptera, Nova Suppl.Ent.(Keltern) 15:595-606.

Ujvárosi, Lujza 2002
The present stage of knowledge on the Trichoptera of the central group of the eastern Carpathians in Romania. – Proc.10th Int.Symp.Trichoptera, Nova Suppl.Ent.(Keltern) 15:379-394.

Urbanič,Gorazd, Waringer,Johann A. 2002
The larva and the life cycle of Potamophylax pallidus (Klapálek 1899) (Trichoptera: Limnephilidae). – Lauterbornia 43:101-109.

Urbanič,Gorazd, Krušnik,Ciril, Malicky,Hans 2002
Drusus slovenicus (Trichoptera, Limnephilidae), a new species from the Slovenian Alps. – Braueria 29:35.

Wagner, Rüdiger 2002
Abundance, size and weight of Trichoptera on the Breitenbach. – Proc.10th Int.Symp.Trichoptera, Nova Suppl.Ent.(Keltern) 15:607-616.

Wagner, Rüdiger 2002
Zeitliche und räumliche Dynamik der Wormaldia occipitalis-Population am Breitenbach (Hessen). – Lauterbornia 43:111-119.

Ward, John B., Pollard, Simon D. 2002
Mating plugs and exaggerated genitalia: possible consequences of sexual selection on two species of Trichoptera from New Caledonia. – Proc.10th Int.Symp.Trichoptera, Nova Suppl.Ent.(Keltern) 15:249-252.

Ward, John B. 2002 ?
Descriptions of two new caddis species (Trichoptera: Leptoceridae) in the genera Gracilipsodes and Symphitoneuria, from New Caledonia. – Rec. Canterbury Mus. 15:73-82.

Waringer, Johann, Graf, Wolfram 2002
Trichoptera communities as a tool for assessing the ecological integrity of Danubian floodplains in Lower Austria. – Proc.10th Int.Symp.Trichoptera, Nova Suppl.Ent.(Keltern) 15:617-623.

Waringer,Johann, Graf,Wolfram 2002
Ecology, morphology and distribution of Ptilocolepus granulatus (Pictet 1834) (Insecta: Trichoptera) in Austria. – Lauterbornia 43:121-129.

Weinzierl,Armin, Dorn,Antonie 2002
Köcherfliegenfänge in der Innenstadt von Landshut an der Isar, 1985-2000. – Lauterbornia 43:39-42.

Wichard, Wilfried 2002
The caddisflies (Trichoptera) of Baltic Amber – fossil larvae. – Proc.10th Int.Symp.Trichoptera, Nova Suppl.Ent.(Keltern) 15:81-87.

Winchester, N.N., Nimmo, Andrew P., Cross,S.F. 2002
Riparian reserve zones; comparison of adult Trichoptera communities in areas of ancient Sitka spruce rainforest and adjacent second growth. – Proc.10th Int.Symp.Trichoptera, Nova Suppl.Ent.(Keltern) 15:625-640.

Yang, Lianfang, Morse, John C. 2002
Glossosoma Subgenus Lipoglossa (Trichoptera: Glossosomatidae) of China. – Proc.10th Int.Symp.Trichoptera, Nova Suppl.Ent.(Keltern) 15:253-276.

Zintl, Heribert 2002
Approaching a theory of spontaneous change of building materials in the larva of Potamophylax cingulatus alpinus Tobias (Limnephilidae). – Proc.10th Int.Symp.Trichoptera, Nova Suppl.Ent.(Keltern) 15:459-466.